





DORADA ČAURE

C = 149,1



Dorađena čaura



21	O-ring 94,84x3,53	1	Kalrez	
20	O-ring 69,44x3,53	1	Kalrez	
19	O-ring 69,52x2,62	1	Kalrez	
18	O-ring 48,9x2,62	1	Viton	
17	O-ring 55,25x2,62	1	Kalrez	
16	M6x12 DIN 933	3	A2-70	DIN 933
15	M8x12 DIN 916	6	A4-70	DIN 916
14	M6x8 DIN 915	3	A4-70	DIN 915
13	Antieks. podloška	1	PTFE	
12	Opruga Ø 3,8 api	12	x12CrNi 17.7	
11	Štiff Ø 3x7	2	Č.4580	
10	Štiff za SZL	2	Č.4580	
9	Seger pločasti	1	Č.4580	M-02556
8	Osigurač	3	Al	
7	Pritezni prsten	1	Č.4574	
6	SZL	1	EK 3205	
5	RZL	1	SSiC	
4	Prigušni prsten	1	EK 2200	
3	Osloni prsten	1	Č.4574	M-02556
2	Pritezna ploča	1	Č.4574	
1	Čaura	1	Č.4574	

Tolerancije oblika i položaja		Komada		Masa		Razmera	
JUS_M.A1.4.11		05.04.2025.		Proizvod		Dimenzija	
Datum		05.04.2025.		RCS-S2/04/95/AQIKGG		Ø 49,5	
Konstr		GA-109 I GA-109S		Ø 49,5		List	
Crtao		Kupac - NIS		Broj crteža		Izv. pod.	
Stand		1109050425		Zamena za:		L	
Overio							